



PROGRAMA DONJOY FITTERS 2022 LATAM

DJO LATAM



AGENDA

- Rodillera Defiance
- Toma de medidas rodilleras personalizadas
- Desglose formato Defiance y Rodillera A22
- Armor
- Solución de dudas

DEFIANCE-DEFIANCE III



Fabricada en fibra de carbono, un material original de la industria espacial que, por sus propiedades, se incorporó a la rehabilitación del cuerpo humano.

40



DEFIANCE ESTABLECE EL PUNTO DE REFERENCIA PARA LAS RODILLERAS PESONALIZADAS.

Indicada en inestabilidades moderadas o severas de:

- Ligamento cruzado anterior
- Ligamento cruzado posterior
- Inestabilidades combinadas
- Ligamento lateral interno
- Ligamento lateral externo
- Profilácticamente



36

FABRICADA A LA MEDIDA

Requiere el uso de CCM I Mark III para mediciones personalizadas



25

ARMAZON

CURVO



DEFIANCE III®

- Armazón curvado en muslo y pantorrilla para liberar la musculatura interna del muslo.
- Sistema patentado de 4 Puntos de Palanca.
- Almohadilla supracondilar que evita el deslizamiento de la ortesis.
- Correas con hebillas oscilantes para no impedir la flexión/extensión.


STANDARD



DEFIANCE®

- Armazón clásico, perfilado, que se adapta a la forma de la pierna.
- Sistema patentado de 4 Puntos de Palanca.
- Almohadilla supracondilar que evita el deslizamiento de la ortesis.
- Correa de pantorrilla antideslizamiento.

Disponible en 3 longitudes



Short muslo

- Persona <160cm
- NO correas giratorias

Short pantorrilla

- Persona <163cm
- Evita chocar con botas de esquí (o similares)

APLICACIÓN SEGÚN EL TIPO DE LESIÓN

**VERSION LIGAMENTO
CRUZADO ANTERIOR**



**VERSION LIGAMENTO
CRUZADO POSTERIOR**



**VERSION INESTABILIDAD
COMBINADA**



CARACTERÍSTICAS

Diseño curvo que se adapta a la forma de la pierna

Disponible en versión LCA/LCP con sistema patentado de 4 Puntos de palanca.

Disponible en versión IC (Inestabilidades combinadas) con correa anterior para el muslo.

Almohadilla supracondilar que evita el deslizamiento

Topes de flexión: 45°, 60°, 75° y 90°.

Topes de extensión: 0°, 10°, 20°, 30° y 40°
(10° pre- instalado).

Posibilidad de bloqueo a 0°.

Ortesis muy ligera (menos de 500 gramos).



DISPONIBLE EN VARIOS COLORES

DONJOY® DEFIANCE®



BLACK



BLACK MATTE



METALLIC BLACK



METALLIC GUNMETAL



METALLIC SILVER



SMOKE MATTE



WHITE



METALLIC WHITE



BRIGHT BLUE



METAL BRIGHT BLUE



NAVY



METALLIC NAVY



POWDER



SEAFOAM



EMERALD



METALLIC FOREST



METALLIC GOLD



VOLT



BUMBLE



SAFETY ORANGE



TRUE RED



METALLIC TRUE RED



FUCHSIA



COTTON CANDY



CRIMSON



GRAPE



VELVET



OLIVE DRAB
GREEN MATTE



DESERT TAN
MATTE



FLAT DARK
EARTH MATTE

STARS STRIPES

BICOLOR



5

ESTAMPADOS



FORMATO RODILLERA PERSONALIZADA DEFIANCE



BILL TO:

Account Name: _____

Account #: _____ P.O. #: _____

Contact: _____ Phone: _____

Address: _____

City: _____ State: _____ Zip: _____

SHIPPING INFORMATION: ☐ Same as "BILL TO"

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

☐ UPS Next Business Day ☐ UPS 2nd Day Air ☐ UPS 3 Day ☐ UPS Ground ☐ Other _____

PRODUCT SELECTION: CCMi Mark III

Frame: ☐ DEFIANCE® II ☐ DEFIANCE®

Hinge:

☐ FourcePoint™ (ACL only)

☐ Female Fource™ (ACL only)

☐ Standard (D III)

☐ DropLock (CI only)

☐ Elbow (CI only)

☐ Adjustable OA

Strapping:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: ____ (0° to 3°) (Standard= 1°)

FLAT COLORS:

☐ Matte Black ☐ Neon Pink ☐ Neon Yellow ☐ Neon Orange

☐ Black ☐ Red ☐ Purple ☐ Pink

☐ White ☐ Blue ☐ Light Blue ☐ Yellow

☐ Green ☐ Orange ☐ Tan ☐ Red, White, Blue

METALLIC COLORS:

☐ Black ☐ Red ☐ Purple ☐ Pink

☐ Navy ☐ Dark Blue ☐ Bright Blue ☐ Gold

☐ Green ☐ Orange ☐ White ☐ Silver

MULTIPLE COLORS:

Thigh Frame: _____

Calf Frame: _____

Flare (flat colors only): ☐ Yes ☐ No

GRAPHICS (extra charge):

☐ Tiger Red ☐ Tiger Orange ☐ Carbon Fiber

☐ Snake ☐ Camouflage

☐ Stars & Strips (flat) ☐ Stars & Strips (metallic)

DONJOY
in Knee Bracing

CCMi Mark III

Fax To: (800) 936-6569
Email To: customercare@djglobal.com

1430 Decision Street
Vista, CA 92081-8553
USA
Tel: (800) 336-6569
www.djglobal.com

FOR OFFICE USE ONLY:

Order #: _____

Brace #: _____

PATIENT INFORMATION:


Name: _____

Age: _____ Height: _____ Weight: _____

Knee Measurement: ☐ Right ☐ Left ☐ Reverse

Measured By: _____

☐ New Brace ☐ Remeasurement/Repair ☐ Refurbish



FEATURES ("standard option on DEFIANCE® III):

☐ Suede Liners/Pads

☐ Chamois Liners/Pads

☐ Swooping Thigh (not available on short thigh?)

☐ Swiveling Strap Tabs

☐ Metal Caps - PowerCaps (recommended for contact sports)

☐ Reinforced Carbon Composite Frame

☐ Legend Strap Ends

☐ Installed Extension Stop: 0° 10° 20° 30° 40° (circle one)

☐ Installed Flexion Stop: 45° 60° 75° 90° (circle one)

☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

☐ High Strength Stainless Steel Gears

☐ Full Extension Lockout Stop

☐ Lycra® Suspension Sleeve

☐ Neoprene Suspension Sleeve

☐ Sports Brace Cover

☐ Sili-Grip Strap Pad Kit

☐ Air Condyle Kit

☐ Foam Condyle Pads

☐ Armor Impact Guard

☐ Pinch Guard (Calf)

☐ Atrophy Pad Kit

☐ Tru-Pull® Advanced Attachment

BILL TO:

Account Name: _____

Account #: _____ P.O. #: _____

Contact: _____ Phone: _____

Address: _____

City: _____ State: _____ Zip: _____

SHIPPING INFORMATION:☐ Same as "BILL TO"

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

☐ UPS Red (overnight) ☐ UPS Blue (2 day air)☐ UPS 3 Day ☐ UPS Ground ☐ Other _____**Bill to:**DATOS de la empresa distribuidora de
DJO Global.**Shipping:**Llenar si el envío se debe hacer a una
dirección diferente a la registrada
anteriormente



CCMI Mark III

1430 Decision Street
Vista, CA 92081-8553
USA

Tel: (800) 336-6569
www.djoglobal.com

Fax To: (800) 936-6569

Email To: customercare@djoglobal.com

FOR OFFICE USE ONLY:

Order #: _____

Brace #: _____

PATIENT INFORMATION:

Name: _____

Age: _____ Height: _____ Weight: _____

Knee Measurement: ☐ Right ☐ Left ☐ Reverse

Measured By: _____

☐ New Brace ☐ Remeasurement/Repair ☐ Refurbish



For Office USE:

Deje en Blanco

Información del Paciente:

Obligatorio!!!

Nombre, Edad, Estatura, peso

Pierna medida: Dr o izda.

Brace nuevo?

Reparación

Cambio de medidas

Renovación/embellecimiento

MARCO

PRODUCT SELECTION: ~~CCMI Mark III~~

Frame: ☒ DEFIANCE® III ☐ DEFIANCE®

Hinge:

- ☐ FourcePoint™ (ACL only)
- ☐ Female Fource™ (ACL only)
- ☐ FourcePoint™ Plus (ACL only)
- ☐ Low Profile / Standard
(select strapping sequence below)
- ☐ DropLock (CI only)
- ☐ Adjustable OA
(select strapping sequence below)

Strapping Sequence:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (1° to 7°) (Standard= 3°)



Defiance

Marco classico sin correas giratorias en la pantorrilla

Version clasica



Defiance III

Armazón curvado en muslo y pantorrilla para liberar la musculatura interna del muslo, con correas giratorias.

Version moderna
recomendada

BISAGRAS - FOURCEPOINT

PRODUCT SELECTION: CCMi Mark III

Frame: ☐ DEFIANCE® III ☐ DEFIANCE®

Hinge:

☒ FourcePoint® (ACL only)

☒ Female Fource® (ACL only)

☒ FourcePoint® Plus (ACL only)

☐ Low Profile / Standard
(select strapping sequence below)

☐ DropLock (CI only)

☐ Adjustable OA
(select strapping sequence below)

Strapping Sequence:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (1° to 7°) (Standard= 3°)



Supra-condyle pad
frena el
deslizamientos de la
rodilla



FourcePoint

- Solo con la configuracion de correas para LCA configuration
- Almohadilla supra condilar

Mujere Fource

- Como la bisagra FourcePoint, con graficos de flores y stickers



FourcePoint Plus

- As FourcePoint but con el refuerzo exterior de la bisagra fourcepoint armor.
- Mas fuerte para deportes extremos y de contacto

MUJERFOURCE GRAPHICS



BISAGRAS – STANDARD AND DROPLOCK

PRODUCT SELECTION: CCMI Mark III

Frame: ☐ DEFIANCE® III ☐ DEFIANCE®

Hinge:

- ☐ FourcePoint™ (ACL only)
- ☐ Female Fource™ (ACL only)
- ☐ FourcePoint™ Plus (ACL only)
- ☒ Low Profile / Standard
(select strapping sequence below)
- ☒ DropLock (CI only)
- ☐ Adjustable OA
(select strapping sequence below)

Strapping Sequence:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (1° to 7°) (Standard= 3°)



Low Profile/Standard

configuracion de correas para ACL/PCL/CI

Bisagra policentrica que estabiliza la rodilla

DropLock

Bloqueo en extension

Deficit de cuadriceps y por ende deficit en la extension de rodilla durante la marcha,

Pasa de la posición de pie bloqueada a la posición de sentado, se desbloquea con solo presionar un botón.

DROP LOCK



BISAGRA - OA

PRODUCT SELECTION: CCMi Mark III

Frame: ☐ DEFIANCE® III ☐ DEFIANCE®

Hinge:

☐ FourcePoint™ (ACL only)

☐ Female Fource™ (ACL only)

☐ FourcePoint™ Plus (ACL only)

☐ Low Profile / Standard
(select strapping sequence below)

☐ DropLock (CI only)

☒ Adjustable OA
(select strapping sequence below)

Strapping Sequence:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (1° to 7°) (Standard= 3°)



Floam condyle mas
comoda



Alhohadilla condylar
telescopica

Adjustable OA

Configuraciones de correas para ACL/PCL/CI

Corrección posible de entre 1° y 7° integrada la
bisagra

3° es predeterminado

Almohadilla condilar telescópica

Almohadilla condilar Floam (Surround)

Compartimiento afectado y grados de
corrección de marco requeridos

APLICACIÓN SEGÚN EL TIPO DE LESIÓN

PRODUCT SELECTION: CCMi Mark III

Frame: ☐ DEFIANCE® III ☐ DEFIANCE®

Hinge:

☐ FourcePoint™ (ACL only)

☐ Female Fource™ (ACL only)

☐ FourcePoint™ Plus (ACL only)

☐ Low Profile / Standard
(select strapping sequence below)

☐ DropLock (CI only)

☐ Adjustable OA
(select strapping sequence below)

Strapping Sequence:

☒ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (1° to 7°) (Standard= 3°)

VERSION LIGAMENTO CRUZADO ANTERIOR



Correas
1, 2, 3, 4, 5

VERSION LIGAMENTO CRUZADO POSTERIOR



Correas
1, 2, 5, 6

VERSION INESTABILIDAD COMBINADA



Correas
1, 2, 3, 4, 5, 6

COLORES

COLOURS:

- ☐ Black Gloss ☐ Seafoam Gloss ☐ True Red Gloss ☐ Bright Blue Gloss
☐ Black Matt ☐ Emerald Gloss ☐ Fuchsia Gloss ☐ Cotton Candy Gloss
☐ Smoke Matt ☐ Volt Gloss ☐ Crimson Gloss ☐ Olive Drab Green Matt
☐ White Gloss ☐ Bumble Gloss ☐ Grape Gloss ☐ Flat Dark Earth Matt
☐ Navy Gloss ☐ Safety Gloss ☐ Velvet Gloss ☐ Desert Tan Matt
☐ Powder Gloss

METALLIC GLOSS:

- ☐ Metallic Black Gloss ☐ Metallic White Gloss ☐ Metallic Forest Gloss
☐ Metallic Gunmetal Gloss ☐ Metallic Bright Blue Gloss ☐ Metallic Gold Gloss
☐ Metallic Silver Gloss ☐ Metallic Navy Gloss
☐ Metallic True Red Gloss

MULTIPLE COLOURS:

Thigh Frame: _____

Calf Frame: _____

Fade (non-matt colours only): ☐ Yes ☐ No



2 colores



2 colores difuminados



A CUSTOM BRACE MADE JUST FOR YOU.

IN A COLOR THAT MAKES IT ALL YOURS.

DonJoy® Defiance® custom-made braces are built precisely for the way you play. Our specially trained bracing experts personally measure and fit you for an individualized brace made specifically to your needs.

No other brace fits exactly like your Defiance—or looks like it. Defiance braces are available in more than 30 custom colors and designs, so your brace is personalized inside and out. Solid neutrals, mattes or metallics, vibrant glossy colors or fierce patterns—it's your call.

Choose the world's leading custom knee brace, and make it your own.



BICOLOR



5



ESTAMPADOS



5

COMO LLENAR EL FORMATO CCMII MARK III



9

BILL TO:

Account Name: _____

Account #: _____ P.O. #: _____

Contact: _____ Phone: _____

Address: _____

City: _____ State: _____ Zip: _____

SHIPPING INFORMATION: ☐ Same as "BILL TO"

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

☐ UPS Rad (overnight) ☐ UPS Blue (2 day air)

☐ UPS 3 Day ☐ UPS Ground ☐ Other _____

PRODUCT SELECTION: CCMII Mark III

Frame: ☐ DEFIANCE® II ☐ DEFIANCE®

Hinge:

☐ FourcePoint™ (ACL only)

☐ Female Fource™ (ACL only)

☐ Standard (D III)

☐ DropLock (CI only)

☐ Elbow (CI only)

☐ Adjustable OA

Strapping:

☐ ACL ☐ PCL ☐ CI

OA Affected Compartment: ☐ Medial ☐ Lateral

Degrees of Correction: _____ (0° to 3°) (Standard= 3°)

FLAT COLORS:

☐ Matte Black ☐ Neon Pink ☐ Neon Yellow ☐ Neon Orange

☐ Black ☐ Red ☐ Purple ☐ Pink

☐ White ☐ Blue ☐ Light Blue ☐ Yellow

☐ Green ☐ Orange ☐ Tan ☐ Red, White, Blue

METALLIC COLORS:

☐ Black ☐ Red ☐ Purple ☐ Pink

☐ Navy ☐ Dark Blue ☐ Bright Blue ☐ Gold

☐ Green ☐ Orange ☐ White ☐ Silver

MULTIPLE COLORS:

Thigh Frame: _____

Calf Frame: _____

Fade (Flat colors only): ☐ Yes ☐ No

GRAPHICS (extra charge):

☐ Tiger Red ☐ Tiger Orange ☐ Carbon Fiber

☐ Snake ☐ Camouflage

☐ Stars & Strips (flat) ☐ Stars & Strips (metallic)

DONJOY
an in Knee Bracing

CCMII Mark III

Fax To: (800) 936-6569
Email To: customercare@djglobal.com

1430 Decision Street
Vista, CA 92081-8553
USA
Tel: (800) 336-6569
www.djglobal.com

FOR OFFICE USE ONLY:

Order #: _____

Brace #: _____

PATIENT INFORMATION:


Name: _____

Age: _____ Height: _____ Weight: _____

Knee Measurement: ☐ Right ☐ Left ☐ Reverse

Measured By: _____

☐ New Brace ☐ Remeasurement/Repair ☐ Refurbish



FEATURES (*standard option on DEFIANCE® III):

☐ Suede Liners/Pads

☐ Chamois Liners/Pads

☐ Swooping Thigh (not available on short thigh*)

☐ Swiveling Strap Tabs*

☐ Metal Caps - PowerCaps (recommended for contact sports)

☐ Reinforced Carbon Composite Frame

☐ Legend Strap Ends

☐ Installed Extension Stop: 0° 10° 20° 30° 40° (circle one)

☐ Installed Flexion Stop: 45° 60° 75° 90° (circle one)

☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

☐ High Strength Stainless Steel Gears ☐ Air Condyle Kit

☐ Full Extension Lockout Stop ☐ Foam Condyle Pads

☐ Lycra® Suspension Sleeve ☐ Armor Impact Guard

☐ Neoprene Suspension Sleeve ☐ Pinch Guard (Calf)

☐ Sports Brace Cover ☐ Atrophy Pad Kit

☐ Self-Grip Strap Pad Kit ☐ Tru-Pull® Advanced Attachment

©2018 DJO, LLC

14 only, Rev B-10/18

TOMA DE MEDIDAS CON LA HERRAMIENTA CCMi MARK III



1. Posición de los cóndilos:
Debe crear una línea imaginaria que pase por la línea superior de la ROTULA


2. Posición de las cintas:

- Medida standard o larga
- Medida short o corta

Solo se debe anotar en el formato:

1 para muslo (Estándar ó Short)

1 para pantorrilla (Estándar ó Short)



MEDIDA DEL MUSLO

3. Medida del muslo. Short o Stándart



Medida Standar=LARGA

- Para un muslo Largo/Normal.
- No debe quedar cerca a la zona de la INGLE
- Para MARCOS: Defiance o DefianceIII

Medida SHORT=CORTA

- Para muslo corto o de niño
- Cuando la medida Standar queda muy cercana a la ingle
- Para Marco: DEFIANCE.

(El marco DefianceIII tiene una curva interna en el muslo que no se puede fabricar con la medida corta)

*Solo se debe anotar en el formato:
1 para muslo (Estándar ó Short)
1 para pantorrilla (Estándar ó Short)*

MEDIDA DE LA PANTORRILLA




4. Medida de pantorrilla. Short o Stándar

MEDIDA SHORT- CORTA

- Para pantorrillas cortas o de niño
- Para uso deportivo con BOTAS (SnowBoard, MotoCross, etc)
- Cuando la medida Standar queda por debajo del vientre muscular de los gemelos (parte mas gordita)
- Para cualquier marco

MEDIDA STANDART- LARGA

- Para pantorrillas Largas. Personas altas
- Cuando en comparacion con la medida short, la Estándar queda mejor ubicada sobre el vientre muscular de los gemelos
- Para cualquier marco



ATENCIÓN!!!! : medidas mínimas para la elaboración del brace



DONJOY®

MAATNAME
CCMI MARK III



AIRCAST® | chattanooga® | DONJOY® | Dr.Comfort® | exos® | Veinax

MEDIDAS (MEDIDOR CCMi MARK III)



	Thigh Cuff	Calf Cuff
Standard	21,5 cm	19 cm
Short	19 cm	16,5 cm

Short muslo

- Persona <160cm
- NO correas giratorias

Short pantorrilla

- Persona <163cm
- Evita chocar con botas de esquí (o similares)

CARACTERISTICAS

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Liners

- Ante
- Por defecto- negro

GAMUZA Liners

- Cuero de gamuza
- Deportes acuáticos
- Ambiente cálido (absorbe la humedad)

MUSLO CURVO

- Espacio interno del muslo y mas facil de llevar cuando es bilateral el brace.
- Mas comodo, mayor desempeno del deportista
- Defiance III


CARACTERISTICAS

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Pestañas de Correas Giratorias

- #2/3 Pestaña
- Se acomoda al movimiento de la pierna
- Por defecto Defiance III

Tapones metalicos "PowerCaps"

Tapas de lengüeta de correa de metal

Tapas de aluminio recubiertas de goma

Solo se necesita para deportes extremos de contacto de alto impacto.

Refuerzo de fibra de carbono

- 5 capas en vez de 4
- Peso adicional
- Recomendado solo para deportes extremos o de alto contacto

CARACTERISTICAS

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Standard Defiance straps with reinforced rubber strap endings for ease of use.



Legend straps for improved adhesion. Recommended for water sports.

Flexion Stops (Standard & FP Hinge)



Extension Stops (Standard Hinge only)



Correas Legend

- Un extremo de correa de corte cuadrado en lugar de extremos cónicos de goma
- Adherencia mejorada
- Ideal para deportes acuáticos

Tope de extensión/flexión instalado

- Establecer un límite definido en extensión y/o flexión
- Pacientes con problemas para controlar la extensión o la flexión

Kit de correas de suspensión de neopreno

- Dos correas de neopreno de 4" de ancho Detiene el deslizamiento del brace

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Full Flexion/Extension Stop: Lockout



- Engranajes de acero inoxidable de alta resistencia
- Actualización solo para bisagra estándar
- Recomendado para deportes extremos de contacto

Tope de bloqueo de extensión completa

Inmovilización completa del aparato ortopédico

Prices RRP with VAT

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Lycra de suspensión tubular

- Mejora la comodidad
- Ligero Se puede plegar sobre el marco
- Protege la piel de las rozaduras

Manga de suspensión de neopreno

- Mejora la comodidad
- Reducir el deslizamiento
- Proporciona calor
- Compresión leve
- Agujeros de aire para transpirabilidad.
- Protege la piel de las rozaduras

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Cubierta de proteccion

Funda y acolchado para proteger el brace

Protege a los oponentes durante los deportes de contacto.

Mantenga el brace limpio.

Poliéster con relleno de neopreno alrededor del marco y las bisagras

Banda de silicona antimigracion

Prices RRP with VAT

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



- Kit cóndilo de aire

Ayuda a absorber y amortiguar cargas a la rodilla y aumentar la comodidad y el ajuste en la rodilla.

Almohadillas Condíleas Envolventes

- Mayor comodidad, menos gruesas que el Air Condyle Kit
- También conocido como kit de cóndilo sin memoria

Set de condilos

Reemplazos para cóndilos estándar

Prices RRP with VAT

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Protector de impacto Armor

Proporciona protección a la rodilla y canilla

Atletas de automovilismo/hockey, motociclismo

Hecho de carcasa de plástico duro y espuma interior para absorber los golpes.

Se envuelve alrededor de la bisagra y se engancha a sí mismo



Protector de pellizco (pantorrilla)

Clips en el marco de la pantorrilla

Detiene el pellizco de la piel entre la bota y el marco.

Recomendado al pedir una pantorrilla corta

ACCESORIOS DE PAGO EXTRA

FEATURES (*standard option on DEFIANCE® III):

- ☐ Suede Liners/Pads
- ☐ Chamois Liners/Pads
- ☐ Swooping Thigh (not available on short thigh)*
- ☐ Swivelling Strap Tabs*
- ☐ Metal Caps - PowerCaps (recommended for collision sports)
- ☐ Reinforced Carbon Composite Frame
- ☐ Legend Strap Ends
- ☐ Installed Extension Stop: 0° ☐ 10° ☐ 20° ☐ 30° ☐ 40° (tick one)
- ☐ Installed Flexion Stop: 45° ☐ 60° ☐ 75° ☐ 90° (tick one)
- ☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

- | | |
|--|--|
| ☐ High Strength Stainless Steel Gears | ☐ Air Condyle Kit |
| ☐ Full Extension Lockout Stop | ☐ Surround Condyle Pads |
| ☐ Lycra Suspension Sleeve | ☐ Armor Impact Guard |
| ☐ Neoprene Suspension Sleeve | ☐ Pinch Guard (Calf) |
| ☐ Sports Brace Cover | ☐ Atrophy Pad Kit |
| ☐ Sili-Grip Strap Pad Kit | ☐ Tru-Pull® Advanced |
| ☐ Condyle Pad Kit | |



Kit de almohadillas para atrofia

- Para retornar a la actividad después de una pérdida de masa muscular considerable
- Espaciadores colocados entre el liner y el marco

Accesorio Tru Pull Advanced

- Proporciona estabilidad patelar para inestabilidad patelar lateral leve a moderada
- La correa bifurcada se engancha en la bisagra y marco y mantiene posicionada la rotula

Prices RRP with VAT



A22

Es la primera rodillera rígida para ligamentos hecha a la medida fabricada en **TITANIO**.

El Titanio es un material fuerte, liviano y resistente.

Su fuerza es comprable con el acero (incluso siendo 45% más ligero) y es dos veces más fuerte que el aluminio.

El titanio ofrece propiedades de última tecnología a los productos DonJoy.



INDICACIONES

Indicada en lesiones moderadas o severas de:

- Ligamento cruzado anterior
- Profilácticamente

25



CARACTERÍSTICAS

Recubrimiento antimicrobiano que neutraliza los olores y optimiza la comodidad y durabilidad de los componentes blandos.

Fabricada en titanio que logra el equilibrio entre ligereza y resistencia en la estructura.

Celdas acolchonadas de silicona absorben la carga e impactos y promueven estabilidad y ajuste a la rodilla.

La integración aerodinámica de correas y forros reduce el perfil general, lo que mejora la comodidad y la confianza.



40

INCORPORA LA TECNOLOGÍA DE 4 PUNTOS DE PALANCA

Anclaje en la región anterior 1
del muslo

Presión activa y constante
que previene la traslación
anterior de la tibia 4



3 La correa de la parte inferior del
muslo ayuda a empujar el
fémur hacia adelante

2 Anclaje en la región posterior
De la tibia.

22

INCORPORA ÚNICAMENTE LA BISAGRA FOURCEPOINT

Genera resistencia en los últimos 10° de extensión de rodilla.

Ayuda a la rodilla a mantenerse alejada de las posiciones de riesgo.



12

FABRICADA A LA MEDIDA

Requiere el uso de CCM I Mark III para mediciones personalizadas

25



DJO Global

Vista Manufacturing Center

3151 Scott Street | Vista, CA 92081-8553 USA

Tel: (800) 336-6569 | www.djoglobal.com

Fax To: (877) 595-8623

Email To: A22.help@djoglobal.com

BILL TO:

Account Name: _____
Account #: _____ P.O. #: _____
Contact: _____ Phone: _____
Address: _____
City: _____ State: _____ Zip: _____

SHIPPING INFORMATION: ☐ Same as "BILL TO"

Name: _____
Address: _____
City: _____ State: _____ Zip: _____

☐ Red (overnight) ☐ Blue (2 day air)
☐ 3 Day ☐ Ground ☐ Other _____

PRODUCT SELECTION: CCMI Mark III A22

☐ ForcePoint™ (ACL only)

FEATURES for A22

☐ Installed Extension Stop: 0° 10° 20° 30° 40° (circle one)
☐ Installed Flexion Stop: 45° 60° 75° 90° (circle one)

☐ Neoprene Suspension Strap Kit

ACCESSORIES (extra charge):

☐ A22 Sleeve (☐ S ☐ M ☐ L)
☐ Full Extension Lockout Stop ☐ Armor Impact Guard
☐ Lycra® Suspension Sleeve ☐ Pinch Guard (Calf)
☐ Neoprene Suspension Sleeve ☐ Atrophy Pad Kit
☐ Sports Brace Cover ☐ Air Condyle Kit
☐ A22 Gel Condyle Pads

FOR DJO USE ONLY:


Order #: _____
Brace #: _____

PATIENT INFORMATION:

Name: _____
Age: _____ Height: _____ Weight: _____
Knee Measurement: ☐ Right ☐ Left ☐ Reverse
Measured By: _____
☐ New Brace

WARRANTY:

Check One
☐ Collision Sports (American Football) - 6 months
☐ Standard warranty - 1 year



*Only available in standard thigh

**Record only standard calf measurements (actual calf cuff length is a hybrid between short and standard)

BJ-0032 REV 0-0528

ARMOR STANDARD Y ARMOR FOURCEPONIT

Armor es un escudo indestructible de protección comprobada que no interfiere en la fuerza y desempeño de los atletas, brindando la confianza para hacer todo tipo de actividades.



13

INDICACIONES

Indicada en lesiones o inestabilidades moderadas o severas de:

- Ligamento cruzado anterior
- Ligamento cruzado posterior
- Ligamento lateral interno
- Ligamento lateral externo
- Inestabilidades combinadas
- Profilácticamente
- En deportes extremos y de alto contacto.

CARACTERÍSTICAS

Sistema de 4 Puntos de palanca

Opción de bisagra FourcePoint

Marco con escotadura interna para liberar la musculatura interna del muslo.

Fabricada en aleación de aluminio, la utilizada en la industria aeronáutica.

Almohadillas supra condilares anti migración

Banda antinmigración que se fija en la parte superior de la pantorrilla.

Lengüetas con hebillas oscilantes para ajustarse movimiento de las piernas



36



TALLA	CIRCUNFERENCIA EN CM
XS	33 - 39 cm
S	39 - 47 cm
M	47 - 53 cm
L	53 - 60 cm
XL	60 - 67 cm
XXL	67 - 75 cm
XXXL	75 - 82.5 cm

PERÍMETRO DEL MUSLO



Medir el perímetro del muslo
15 cm por encima del centro de
la rótula.



POWERING MOTION™

AIRCAST®

chattanooga®

CMFV

COMPEX®

djosurgical.

DONJOY®

Dr.Comfort®

PROCARE®